


60x120  
R10  
B  
V3  
R



DAKV1846  
PEI 5 ○ 700 l m<sup>2</sup>  
matt  
color **fog**  
grau-weiß | grey-white



DAKV1847  
PEI 4 ○ 700 l m<sup>2</sup>  
matt  
color **natural**  
grau | grey



DAKV1848  
PEI 4 ○ 700 l m<sup>2</sup>  
matt  
color **pepper**  
dunkelgrau | dark grey



60x60  
60x15/10/5  
R10  
B  
V3  
R  
7mm



DAK62846  
PEI 5 ○ 560 l m<sup>2</sup>  
matt  
color **fog**  
grau-weiß | grey-white




DAK62847  
PEI 4 ○ 560 l m<sup>2</sup>  
matt  
color **natural**  
grau | grey




DAK62848  
PEI 4 ○ 560 l m<sup>2</sup>  
matt  
color **pepper**  
dunkelgrau | dark grey



DAKSV846  
PEI 5 ○ 1250 l m<sup>2</sup>  
matt



DAKSV847  
PEI 4 ○ 1250 l m<sup>2</sup>  
matt



DAKSV848  
PEI 4 ○ 1250 l m<sup>2</sup>  
matt

Produkt | product




Produkt   product	cm	mm	EN	St/m <sup>2</sup>	m <sup>2</sup>	m <sup>2</sup>	m <sup>2</sup>	m <sup>2</sup>	kg/m <sup>2</sup>	brutto kg
Bodenfliese   floor tile	60x120	598x1198+10	EN 14411 - G B1a	2	1,4	1,44	27	38,88	32,7	908
Bodenfliese   floor tile	60x60	598x598x9	EN 14411 - G B1a	4	2,8	1,44	32	46,08	27,6	910
Bodenfliese   floor tile	60x15/10/5	598x148/98/48x9	EN 14411 - G B1a	15	16,7	0,90	36	32,40	17,5	655


Die Verpackung enthält 5 Stück von jedem Format. | The product is packed with 5 pieces of each format.




DDM05846 (SHEET)  
PEI 5  $\odot$  440 | Netz  
matt  
color **fog**  
grau-weiß | grey-white




DDM05847 (SHEET)  
PEI 4  $\odot$  440 | Netz  
matt  
color **natural**  
grau | grey



DDM05848 (SHEET)  
PEI 4  $\odot$  440 | Netz  
matt  
color **pepper**  
dunkelgrau | dark grey




DCPVF846 color **fog** | grau-weiß | grey-white  
DCPVF847 color **natural** | grau | grey  
DCPVF848 color **pepper** | dunkelgrau | dark grey  
PEI 4-5  $\odot$  840 | St  
matt



DCP62846 color **fog** | grau-weiß | grey-white  
DCP62847 color **natural** | grau | grey  
DCP62848 color **pepper** | dunkelgrau | dark grey  
PEI 4-5  $\odot$  460 | St  
matt



DSAS3846 color **fog** | grau-weiß | grey-white  
DSAS3847 color **natural** | grau | grey  
DSAS3848 color **pepper** | dunkelgrau | dark grey  
 $\odot$  220 | St  
matt



DCFVF846 color **fog** | grau-weiß | grey-white  
DCFVF847 color **natural** | grau | grey  
DCFVF848 color **pepper** | dunkelgrau | dark grey  
PEI 4-5  $\odot$  1450 | St  
matt



Die Fliesen der Serie zeichnen sich durch ein breites Farbspiel V3 aus. | All products of the entire batch show big deviations in shade difference V3.  
Wir empfehlen, Fliesen aus verschiedenen Paketen zu entnehmen und den kompletten Bodenbelag gemäß der Inspirationsfotodokumentation in den RAKO-Katalogen oder auf den Websites [www.rako.eu](http://www.rako.eu) aufzulegen. Wir empfehlen zwei Verlegungsmethoden: die Verlegung aller Fliesen in einer Richtung oder die Schachbrettverlegung mit regelmäßiger 90°-Drehung.  
Before laying the tiles, we suggest you select from several cartons and arrange them as illustrated in the inspiration photo documentation in RAKO catalogues or website [www.rako.eu](http://www.rako.eu). There are two recommended laying patterns to choose from: one is a strictly one-way oriented design, and the other resembles a chessboard look achieved through a regular 90° turn tiling pattern.

Produkt   product	cm	mm	EN		St/m <sup>2</sup>	m <sup>2</sup>			kg	kg/m <sup>2</sup>	brutto kg
Mosaik sheet 30x30 cm   mosaic sheet 30x30 cm	5x5	48x48x9	EN 14411 - G Bia	3	11	0,27	-	-	5,2	19,2	-
Stufe   step tile	30x120	298x1198x10	STD No. 030 - 059824	3	2,8	1,08	-	-	24,6	22,7	-
Stufe   step tile	60x60	598x597x9	STD No. 030 - 059824	3	2,8	1,08	-	-	20,7	19,2	-
Socket   skirting plinth	60x7,2	598x72x9	STD No. 030 - 059824	14	23,1	0,60	-	-	11,5	19,2	-
Stufenformteil   special step tile	30x120	298x1198x10	STD No. 030 - 059824	2	-	-	-	-	20,5	-	-