



Taurus INDUSTRIAL je komplexní nabídka především technických reliéfů. Vysoce slinuté neglazované keramické dlaždice s výbornými parametry jsou určeny do objektů s extrémními podmínkami jako jsou potravinářské provozy, industriální prostory s vysokým mechanickým a chemickým zatížením. Součástí série jsou i keramické tvarovky pro slabozraké a nevidomé.

„Maximální odolnost.“



Taurus INDUSTRIAL is a comprehensive range of mainly technical reliefs. Highly sintered unglazed ceramic tiles with excellent parameters are designed for buildings with extreme conditions such as food processing factories, industrial areas with high mechanical and chemical strains. The series also includes ceramic shaped bricks for the visually impaired and blind.

„Maximum resistance.“





výrobek product	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
EN 14411 - 6 B1a	dlaždice floor tile	dlaždice floor tile	dlaždice floor tile	dlaždice floor tile				
cm	30×30	30×30	30×30 R	20×20				
mm	298×298×15	298×298×13	298×298×9 R	198×198×15				
povrch surface	S	S	relief go	relief stop	S	relief SRM	relief SR1	relief SR3
protiskluznost slip resistance	R9/A	R9/A	R11/A	R11/A	R10/A	R11/B	R11/B V4	R12/B
koeficient tření - za sucha sliding friction coefficient	$\mu \geq 0,6$	$\mu \geq 0,6$	$\mu \geq 0,7$	$\mu \geq 0,7$	$\mu \geq 0,6$	$\mu \geq 0,6$	$\mu \geq 0,7$	$\mu \geq 0,7$
barva color								
černá black	TAA3R069*				TAA29069*	TRM29069*	TR129069*	TR329069*
69 Rio Negro	○ 90 m ²				○ 90 m ²	○ 92 m ²	○ 92 m ²	○ 92 m ²
antracitově šedá anthracite grey	TAA3R065	TAA3S065			TAA29065	TRM29065*	TR129065	TR329065
65 Antracit	○ 90 m ²	○ 88 m ²			○ 90 m ²	○ 92 m ²	○ 92 m ²	○ 92 m ²
šedá grey	TAA3R076	TAA3S076			TAA29076	TRM29076*	TR129076	TR329076
76 Nordic	○ 88 m ²	○ 86 m ²			○ 88 m ²	○ 90 m ²	○ 90 m ²	○ 90 m ²
tmavě béžová dark beige	TAA3R061	TAA3S061			TAA29061	TRM29061*	TR129061	TR329061
61 Tunis	○ 88 m ²	○ 86 m ²			○ 88 m ²	○ 90 m ²	○ 90 m ²	○ 90 m ²
slonová kost ivory			TTG35010**	TTS35010**				
10 Ivory			○ 78 ks	○ 78 ks				
černá black			TTG35019**	TTS35019**				
19 Black			○ 78 ks	○ 78 ks				
logistická data logistic information								
	7	8	9		17			
	11,0	11,0	11,0		25,0			
	0,63	0,72	0,81		0,68			
	52	52	42		54			
	32,76	37,44	34,36		36,72			
	21,1	20,3	18,0		22,8			
	33,5	28,2	22,2		33,5			
	1 123	1081	780		1 256			

* Výroba na objednávku. | Production by order.
** Vyhovuje DIN 32 984. | According to DIN 32 984.


	<input type="checkbox"/>	<input type="checkbox"/>						
	dlaždice floor tile	dlaždice floor tile						
	20×20	20×20						
	198×198×13	198×198×9						
relief SR4	S	relief SRM	relief SR1	relief SR3	relief SR2	relief SR4	relief SR20	
R12/C V4	R10/A	R11/B	R11/B V4	R12/B	R12/B V4	R12/C V4	R13/C V8	
$\mu \geq 0,7$	$\mu \geq 0,6$	$\mu \geq 0,6$	$\mu \geq 0,7$	$\mu \geq 0,7$	$\mu \geq 0,7$	$\mu \geq 0,7$	$\mu \geq 0,7$	
TR429069*		TRM26069*	TR126069*	TR326069*	TR226069*	TR426069*	TRA26069*	
○ 92 m ²		○ 82 m ²	○ 80 m ²	○ 82 m ²	○ 80 m ²	○ 80 m ²	○ 82 m ²	
TR429065	TAA28065	TRM26065	TR126065	TR326065	TR226065	TR426065	TRA26065	
○ 92 m ²	○ 88 m ²	○ 82 m ²	○ 80 m ²	○ 82 m ²	○ 80 m ²	○ 80 m ²	○ 82 m ²	
TR429076	TAA28076	TRM26076	TR126076	TR326076	TR226076	TR426076	TRA26076	
○ 90 m ²	○ 86 m ²	○ 80 m ²	○ 78 m ²	○ 80 m ²	○ 78 m ²	○ 78 m ²	○ 80 m ²	
TR429061	TAA28061	TRM26061	TR126061	TR326061	TR226061	TR426061	TRA26061	
○ 90 m ²	○ 86 m ²	○ 80 m ²	○ 78 m ²	○ 80 m ²	○ 78 m ²	○ 78 m ²	○ 80 m ²	
	20						25	
	25,0						25,0	
	0,80						1,00	
	54						57	
	43,2						57,00	
	22,6						19,2	
	28,2						19,2	
	1245						1 120	



barvy | colors



69 Rio Negro
černá | black




65 Antracit
antracitově šedá | anthracite grey



76 Nordic
šedá | grey



61 Tunis
tmavě béžová | dark beige




povrchy | surfaces



S R9/A - R10/A*
 $\mu \geq 0,6$


*viz přehledová tabulka | see overview table



relief SRM R11/B
 $\mu \geq 0,6$



relief SR1 R11/B V4
 $\mu \geq 0,7$




relief SR3 R12/B
 $\mu \geq 0,7$



relief SR2 R12/B V4
 $\mu \geq 0,7$



relief SR4 R12/C V4
 $\mu \geq 0,7$



relief SR20 R13/C V8
 $\mu \geq 0,7$



speciální tvarovky pro nevidomé | special ceramic shaped tiles for the visually impaired persons

relief go



TTG35010

R11/A
 $\mu \geq 0,7$


12,8




TTG35019

R11/A
 $\mu \geq 0,7$

A
(1:1)



relief stop




TTS35010

R11/A
 $\mu \geq 0,7$

slonová kost | ivory

12,8




TTS35019

R11/A
 $\mu \geq 0,7$

černá | black

B
(1:1)



B-A
(1:1)

