

WAKV6730  
○ 680 l m<sup>2</sup>  
matt

WAKV6830  
○ 680 l m<sup>2</sup>  
glossy



WAKV4730\*  
**WAKVK730\*\***  
○ 500 l m<sup>2</sup>  
matt

WAKV4830\*  
**WAKVK830\*\***  
○ 500 l m<sup>2</sup>  
glossy



WARV4730\*  
**WARVK730\*\***  
○ 500 l m<sup>2</sup>  
matt

WARV4830\*  
**WARVK830\*\***  
○ 500 l m<sup>2</sup>  
glossy



WDM06730\*  
**WDM05730\*\***  
○ 320 l Netz  
matt

WDM06830\*  
**WDM05830\*\***  
○ 320 l Netz  
glossy

weiß | white



WDM06731\*  
**WDM05731\*\***  
○ 320 l Netz  
matt

WDM06831\*  
**WDM05831\*\***  
○ 320 l Netz  
glossy

weiß-gold | white-gold

Produkt   product	cm	mm	EN	Stk/m <sup>2</sup>	m <sup>2</sup>	m <sup>2</sup>	kg	kg/m <sup>2</sup>	brutto kg		
Wandfliese   wall tile	40x120	398x1198x10	EN 14411 - L BIII	3	2,1	1,44	21	30,24	29,0	20,1	633
Wandfliese   wall tile*	30x60	298x598x10	EN 14411 - L BIII	6	5,56	1,08	40	43,20	20,0	18,5	825
Wandfliese   wall tile**	30x60	298x598x8	EN 14411 - L BIII	8	5,56	1,44	40	57,60	21,3	14,8	876
Mosaik sheet 30x30 cm   mosaic sheet 30x30 cm*	5x5	48x48x10	STO No. 030 - 059826	3	11	0,27	-	-	4,7	18,5	-
Mosaik sheet 30x30 cm   mosaic sheet 30x30 cm**	5x5	48x48x8	STO No. 030 - 059826	4	11	0,36	-	-	5,2	14,8	-



40x120



v4



R

30x60



v4



R

5x5 | 30x30



v4



R

\* Verfügbar solange der Vorrat reicht | Available while stocks last

\*\* Neues Produkt in 8mm Stärke ab 02/2023 erhältlich | New product in 8mm thickness available from 02/2023

Um das optimale Effekt zu erreichen, empfehlen wir die Verlegung in einer Richtung. | For optimal effect, the laying of individual tiles in one direction is recommended.



Die Fliesen der Serie zeichnen sich durch ein breites Farbspiel V4 aus. | All products of the entire batch show big deviations in shade difference V4.

Wir empfehlen, einzelne Fliesen aus mehreren Paketen herauszunehmen und den gesamten Bodenbelag nach der Inspirationsfotodokumentation in den Katalogen RAKO, eventuell den Webseiten [www.rako.eu](http://www.rako.eu), zu komponieren. Wünschenswert ist die Kombination aller Fliesendesigns einschließlich ihrer Drehung um 90° oder 180°, sodass ausgewogene Optik der verlegten Fläche erzielt wird.

Before laying the tiles, we suggest you select from several cartons and arrange them as illustrated in the inspiration photo documentation in RAKO catalogues or website [www.rako.eu](http://www.rako.eu), and mix the tiles to achieve the required result including turning them by 90° or 180°.

Produkt   product	cm	mm	EN	St/m <sup>2</sup>	m <sup>2</sup>	kg	kg/m <sup>2</sup>	brutto kg
Bodenfliese   floor tile	60x60	598x598x10	EN 14411 - G Bla	3	2,8	1,08	32	34,56
Mosaik sheet 30x30 cm   mosaic sheet 30x30 cm	5x5	48x48x10	EN 14411 - G Bla	3	11	0,27	-	5,9
Stufe   step tile	60x60	598x597x10	STO No. 030 - 059824	3	-	-	-	-
Stufenformteil   special step tile	60x53	598x530x10	STO No. 030 - 059824	2	-	-	-	-
Sockel   skirting plinth	60x9,5	598x95x10	STO No. 030 - 059824	13	17,5	0,74	-	16,2




DAK63830  
PEI 5 ○ 610 | m<sup>2</sup>  
matt | R9 | A

DAL63830  
PEI 4 ○ 840 | m<sup>2</sup>  
full lappato



DDM06830  
PEI 5 ○ 440 | Netz  
matt | R10 | B

DDL06830 (SHEET)  
PEI 4 ○ 440 | Netz  
full lappato



DCF65830  
PEI 5 ○ 1370 | St  
matt | R9 | A

DCG65830  
PEI 4 ○ 1370 | St  
full lappato



DCP63830  
PEI 5 ○ 460 | St  
matt | R9 | A



DSAS4830  
○ 220 | St  
matt

weiß | white

DSKS4830  
○ 270 | St  
full lappato

