



60x120

R10/B



DASV9891
PEI 5 ○ 87 l m²
mat | matt



60x120

R10/B



DASV9892
PEI 4 ○ 87 l m²
mat | matt

60x60

R10/B



DAS62891
PEI 5 ○ 84 l m²
mat | matt

60x60

R10/B



DAS62892
PEI 4 ○ 84 l m²
mat | matt

20x20

R10/B



DAK25891
PEI 5 ○ 90 l m²
mat | matt
color **chamotte**
světle béžová | light beige


20x20

R10/B



DAK25892
PEI 4 ○ 90 l m²
mat | matt
color **pottery**
hnědočervená | brown-red

výrobek product	cm	mm	EN		ks/m ²	m ²		m ³	kg	kg/m ²	brutto kg
dlaždice floor tile	60x120	598x1198x9	EN 14411 - G B Ia	2	1,4	1,44	30	43,20	29,3	20,4	905
dlaždice floor tile	60x60	598x598x9	EN 14411 - G B Ia	4	2,8	1,44	32	46,08	29,1	20,2	955
dlaždice floor tile	20x20	197x197x9	EN 14411 - G B Ia	25	25	1,00	57	57,00	20,2	20,2	1 176



Všechny výrobky celé série vykazují velké odchylky odstínové diference V4. | All products of the entire batch show big deviations in shade difference V4.

Před pokládkou doporučujeme jednotlivé obkladové prvky vybírat z několika kartonů a výslednou plochu komponovat podle inspirativní fotodokumentace z katalogů RAKO případně z webových stránek www.rako.cz. Žádoucí je kombinace všech jednotlivých designů obkladových prvků včetně jejich natáčení o 90° nebo 180° tak, aby bylo dosaženo vyváženého vzhledu obkládané plochy.

Before laying the tiles, we suggest you select from several cartons and arrange them as illustrated in the inspiration photo documentation in RAKO catalogues or website www.rako.eu, and mix the tiles to achieve the required result including turning them by 90° or 180°.




30x120
R10/B
v4
R



DCPVD891 color **chamotte** | světle béžová | light beige
DCPVD892 color **pottery** | hnědočervená | brown-red
PEI 4-5 ○ 86 | ks
mat | matt

60x60
R10/B
v4
R




DCP62891 color **chamotte** | světle béžová | light beige
DCP62892 color **pottery** | hnědočervená | brown-red
PEI 4-5 ○ 76 | ks
mat | matt

60x7,2
R



DSAS3891 color **chamotte** | světle béžová | light beige
DSAS3892 color **pottery** | hnědočervená | brown-red
○ 56 | ks
mat | matt

30x120
R10/B
v4
R



DCFVD891 color **chamotte** | světle béžová | light beige
DCFVD892 color **pottery** | hnědočervená | brown-red
PEI 4-5 ○ 114 | ks
mat | matt

výrobek product	cm	mm	EN	ks/m ²	m ² /ks	kg/m ²	brutto kg
schodovka step tile	30x120	298x1198x9	EN 14411 - G B1a	3	2,8	1,08	22,5
schodovka step tile	60x60	598x597x9	EN 14411 - G B1a	3	2,8	1,08	21,9
soekl skirting plinth	60x7,2	598x72x9	EN 14411 - G B1a	14	23,1	0,60	11,5
schodová tvarovka special step tile	30x120	298x1198x9	STO č. 030 - 059824	2	-	-	-