RAKO

Brand of **lasselsberger**group

Authorized dealer:

rako.cz/en



Laying into lawns
Ability to lay on pre existing lawns to create paths/walkways

Laying into gravels
Ability to lay on pre existing gravel to create cost effective terraces and walkways




Laying on support system
New dry method to install the tiles using the supports (pedestals)



Laying on compacted subsoil
Solution for driveway areas and parking stations
–30mm – ceramic tile
–50mm – laying layer 4–8mm
–200mm – shattered stones fraction 8–16mm
–Compact soil (surface)

More information about the laying of tiles into lawns, gravel or on supportscan be found at www.rako.cz/en
How to install the tiles please follow our official RAKO YouTube channel



RAKO

OUTDOOR


30mm **20**mm

Exterior system solutions:

- garden and yard
- paths/walkways
- terrace and balcony
- swimming pools and surroundings
- public spaces
- driveway and parking place


2019

rako.cz/en



news

serie **quarzit** outdoor



PORCELLANATO SMALTATO • GRES • KENTAUR

HD print

60x60

R11

B

V3

R



DAR66735
PEI 5
mat
20mm

DAR69735
PEI 5
mat
30mm

beige



DAR66736
PEI 4
mat
20mm

brown



DAR66737
PEI 5
mat
20mm

DAR69737
PEI 5
mat
30mm


grey



DAR66738
PEI 4
mat
20mm

DAR69738
PEI 4
mat
30mm

dark grey



DAR66739
PEI 4
mat
20mm

black



- Fully vitrified (porcelain) ceramic tiles with thickness of 20 and 30 mm
- Rectified edges with modifed facets
- Antislip surface R11/B for safety reasons
- Resistance to all weather effects and chemical substances
- 100% frost proof and thermal shock resistant material
- Higher staining resistance and cleanability compared to concrete tiles, high pressure water cleaning recommended
- Easy installation with the possibility to remove tiles for any maintenance or repair work
- Ecofriendly product with low impact upon the environment

rako.cz/en



news

serie **saloon** outdoor

60x60
R11
B
V3




DAR66746
PEI 4
mat
beige


20mm



DAR66747
PEI 4
mat
light brown

20mm





product	cm	mm W	EN		kg/pc		pcs		kg/m²		brutto kg
floor tile	60x60	598x598x20	EN 14411:2016, annex G Bla GL	2	2,8	0,72	30	21,60	32,0	44,4	985
floor tile (serie KAAMOS)	60x60	598x598x20	EN 14411:2016, annex G Bla UGL	2	2,8	0,72	30	21,60	32,0	44,4	985
floor tile	60x60	595x595x30	EN 14411:2016, annex G Bla GL	2	2,8	0,72	22	15,84	48,4	67,2	1 065







serie **kaamos** outdoor

news

60x60
R11
B
V3



DAR66585
mat
ivory

20mm



DAR66586
mat
beige

20mm




DAR66587
mat
grey

20mm



DAR66589
mat
beige-grey

20mm



DAR66588
mat
black

20mm


RAKO
OUTDOOR
30mm
20mm
Exterior system solutions
2019
rako.cz/en
serie quarzitoutdoor
30mm
R11
B
R
V3
60×60cm
serie quarzitoutdoor
serie saloonoutdoor
serie kaamosoutdoor
20mm
R11
B
R
V3
60×60cm